



# **Determining Future Energy Efficiency Potential Across Sectors – A Case study for Germany**

*Dr. Manfred Hafner*

*7 November 2017*

# Enerdata: a global energy intelligence company

- **Independent** energy research & consulting company since 1991
- Spin-off of CNRS research center
- **Expert** in analysis and forecasting of global energy & climate issues
- **In-house** and globally recognized databases and forecasting models
- Headquartered in the Grenoble (French Alps) research cluster
- Offices in Paris, London and Singapore + network of partners Worldwide
- **Global reach**: clients in Europe, Asia, Americas, Africa



# Energy Efficiency Scenarios

## Case study on Germany



# Germany

**1<sup>st</sup>**  
largest energy  
consumer in Europe

**+5 GW**  
of wind capacity  
installed in 2016

**-27%**  
in GHG emissions  
between 1990 and  
2015

- **2010: « Energy Concept » :**
  - Comprehensive strategy, long term pathway to 2050
  - Goal: « becoming one of the Worlds most energy efficient and environmentally friendly economies »
  - Renewable energy: cornerstone of future supply
  - Postpone the nuclear power phase-out agreed by former Government
- **2011 (after Fukushima Daiichi nuclear accident) –**
  - Phase out of Germany's nuclear fleet by 2022
  - 9 nuclear power plants have already been shut down since 2011

# 2011 second energy package: « **Energiewende** »

- Seven legislative measures to support:
  - Renewable energy
  - Grid expansion
  - Promote Energy Efficiency
  - Fund the reforms
  - Phasing out of Nuclear by 2022

# Energy efficiency targets

- Primary energy demand
  - 20% reduction by 2020
  - 50% reduction by 2050
- Electricity demand
  - 10% reduction by 2020
  - 25% reduction by 2050

(Compared to 2008)

# Sectoral Targets

- Building sector
  - doubling the building renovation rate from about 1% to 2% per year,
  - 2020: 20% reduction in heating requirements
  - 2050: 80% reduction in heating requirements
- Transport sector:
  - 2020: 10% reduction in the consumption of transport by 2020
  - 2050: 40% by 2050

(compared to 2005).
- The Government provides €2bn/year (2016) for the CO2 Building Renovation Programme financed by KfW's "energy-efficient building and refurbishment" funding programmes.

- The 2009 and 2014 amendments of the building regulation (Energy Saving Ordinance, Energieeinsparverordnung, EnEV) :
  - reinforced the thermal standards for new buildings by approximately 30% and 25% (as from 2016), respectively.
- The new regulation also introduced:
  - the obligation to replace from 2015 oil and gas boilers more than 30 years old, and
  - the Climate-neutral Building Standard for all new buildings by 2020.



# Country Energy Demand Forecasts Service description

# Country Energy Demand Forecasts - service description



- Service offering **energy demand forecasts** by country up to **2035**
- **Bottom-up** modelling methodology with high level granularity (by sector and end-use) using **Medpro** model
- **2 scenarios** : **reference scenario** and **energy efficiency scenario**
- **6 EU countries** covered : Germany, France, Spain, UK, Italy and Belgium
- **Sensitivity analysis** on key drivers : macro-economy, demography, energy prices, modal shift, energy efficiency in buildings, etc.

# MedPro : a techno-economic (bottom-up) simulation model of energy demand

- MedPro is a **techno-economic model**, which is the latest version of the MEDEE models used under different versions since the mid-70's.
- **Used in 60 countries worldwide** to provide energy demand forecasts and analysis by various actors of the energy sector (industry, governments, policy-makers...).

## Energy demand long-term forecasting

- Energy demand forecasting by **sector** and **end-use** until 2040
- **Calibration of scenarios**

## Energy efficiency policies evaluation

- Impact of energy efficiency **policies** and **measures**
- Calculation of **energy indicators**


## GHG emissions forecasting

- Simulation by **sector** and by **end-use**
- Evaluation of **strategies to reduce GHG emissions**

### Recent references...

- France :
  - Ministry of Environment (2008-ongoing)
  - ADEME – French Energy Efficiency Agency (2016)
- Tunisie : ANME – Tunisian Energy Efficiency Agency (2012 & 2017)
- Morocco : Ministry of Energy, Mines, Water & Environment (2015)
- Turkey : Ministry of Energy (2005-2007, 2015)

# MEDPRO bottom-up energy demand model: overview



# Country Energy Demand Forecasts Scenario definitions

# Reference

Outlook of national energy demand **based on current trends and existing policies.**

Macroeconomic context : end of the global recession.

Continuous but limited improvements in energy efficiency due to technological progress.

# Energy efficiency

Improvements in energy efficiency driven by **more ambitious policies.**


Same macroeconomic assumptions as the Reference scenario.

Main drivers include:

- ✓ Reinforcement of buildings codes, renovation rate, more efficient appliances;
- ✓ Improvement in industrial processes;
- ✓ Modal transfer and greater improvements in energy performance of road vehicles.

# Cross sectoral analysis


# Final energy consumption by sector



## Reference scenario

Final energy consumption growth: **-0.7%/year over 2013-2035**

Stronger decrease in **residential and transport**: -1.3%/year and -1.1%/year respectively over 2013-2035 (shares dropping by 2 percentage points minimum)




## Energy efficiency scenario

Final energy consumption growth : **-1.6%/year over 2013-2035**

**Faster decrease in residential** (-2.9%/year over 2013-2035) (decreasing **share** in final consumption from 30 to 23%)



# Global trends in final energy consumption and intensity



*With an average GDP growth of 1%/year and a final consumption decreasing faster in the energy efficiency scenario (-1.6%/year vs -0.7%/year), the final energy intensity is decreasing by 0.8%/year faster than in the reference scenario*

## Reference scenario


Final energy intensity decrease over 2013-2035: **-1.8%/year**

## Energy efficiency scenario

Final energy intensity decrease over 2013-2035: **-2.6%/year**


# Final energy consumption by energy

Year 2013



## Reference scenario


Year 2035



\* Market shares variations between 2013 and 2035

## Energy efficiency scenario

Year 2035




Even if **renewables\*\*** represent a higher share (9%), **60% of energy still come from fossil fuels in 2035.**

**Decreasing role of fossil fuels (52%);** oil still remains the first fuel in 2035.  
**Renewables\*\*** represent up to 13% in 2035.

\*\* Direct use of renewables


# Electricity consumption



## Reference scenario

Electricity consumption growth: **-0.1%/year over 2013-2035**, with a **peak consumption in 2020**

**Steady electricity mix by sector over time**




## Energy efficiency scenario

Electricity consumption growth: **-0.7%/year over 2013-2035**

**Increasing share of transport** due to the diffusion of electrical vehicles


**Strong decrease in residential** sector (-1.9%/year)

## Energy consumption variation by sector (2013-2035)



### Reference scenario


Total decrease by **30 Mtoe** over 2035 and 2013, with **transport** contributing for 36% of this decrease, and **residential** 53%.



### Energy efficiency scenario

Total decrease by **60 Mtoe**, with **residential** contributing for 48% of this decrease, and **transport** 30%.


# Decomposition of energy consumption variation by main drivers (2013-2035)



## Reference scenario

Energy consumption variation is decreasing by 30 Mtoe over 2013-2035 mainly thanks to energy savings gained in household and transport sectors, and to industry at a less extent.

Energy savings achieved in services are compensated by an increase in activity.




## Energy efficiency scenario

Energy consumption variation is decreasing twice faster (60 Mtoe) compared to **reference scenario**:

- The impact of activity on consumption level is the same in both scenario
- But savings are significantly higher in all sectors in **energy efficiency scenario**

## Additional energy savings in Energy Efficiency scenario compared to Reference scenario




**The residential sector contributes to the bulk of the additional energy savings in the energy efficiency scenario in 2035 (46%), which is tremendous relatively to its relative share in final energy consumption in 2035 (23%).**


# Sectoral analysis



## Decomposition of energy consumption variation (2013-2035)



## Trends in unit consumption




Thanks to significant energy efficiency improvements for space heating (-3.6%/year for the unit consumption per m<sup>2</sup>) and lighting (-6.7%/year), the energy consumption of residential decreases much faster (-29 Mtoe, or -2.9%/year) in the **energy efficiency scenario**, compared to **reference scenario** (-16 Mtoe, or -1.3%/year).






## Trends in final consumption of service sector




## Unit consumption per employee




Even if the consumption per employee decreases slightly in the **reference scenario**, the total energy consumption is higher in 2035 than in 2013 (increase in equipment rate and employment). However, in the **energy efficiency scenario**, total consumption decreases significantly thanks to energy efficiency gains for space heating in particular.



## Trends in final consumption



## Share of modes in passengers and freight traffics




The consumption of cars is decreasing by 35% in the **energy efficiency scenario** and by 22% in the **reference scenario**.


This improvement is mainly explained by large energy savings of cars (decrease in unit consumption). The modal transfer to public transport for passengers and to rail and waterways for freight also contributed to decrease faster consumption in the **energy efficiency scenario**.



### Trends in unit consumption



### Energy intensity of industry



Significant greater improvements in unit consumption of intensive branches in the energy **efficiency scenario** compared to the **reference**.

As a result energy intensity is decreasing faster in the **energy efficiency scenario** (-1.3%/year compared to -1%/year in the **reference scenario**)

# Sensitivity analysis

# Sensitivity analysis features to assess the impact of key drivers on energy demand

## Examples of drivers linked to the final energy consumption

### Macro-Economy

|                                              | ↓↓↓        | ↓          | - | ↑          | ↑↑         |
|----------------------------------------------|------------|------------|---|------------|------------|
| GDP annual rate of growth                    | -0.4 point | -0.2 point | 0 | +0.2 point | +0.4 point |
| Yearly new dwellings                         | -20%       | -10%       | 0 | +10%       | +20%       |
| Dwellings with air cond' in 2030             | -20%       | -10%       | 0 | +10%       | +20%       |
| Yearly replacement rate of service buildings | -10%       | -5%        | 0 | +5%        | +10%       |
| Saturation of car ownership                  | -10%       | -5%        | 0 | +5%        | +10%       |

### Demography

|                                       | ↓↓↓        | ↓          | - | ↑          | ↑↑         |
|---------------------------------------|------------|------------|---|------------|------------|
| Population annual rate of growth      | -0.2 point | -0.1 point | 0 | +0.1 point | +0.2 point |
| Average household size 2030 (pers/hh) | -0.01      | -0.005     | 0 | +0.005     | +0.01      |

### De-materialization of the economy

|                                      | ↓↓↓        | ↓         | - | ↑        | ↑↑        |
|--------------------------------------|------------|-----------|---|----------|-----------|
| Share of industry in the GDP in 2030 | +2 points  | +1 point  | 0 | -1 point | -2 points |
| Share of services in the GDP in 2030 | - 2 points | - 1 point | 0 | +1 point | +2 points |

### Energy prices

|                                               | ↓↓↓  | ↓    | - | ↑    | ↑↑   |
|-----------------------------------------------|------|------|---|------|------|
| Average energy price, industry                | -40% | -20% | 0 | +20% | +40% |
| Average energy price, residential             | -20% | -10% | 0 | +10% | +20% |
| Average energy price, motor fuels / transport | -20% | -10% | 0 | +10% | +20% |

# Decomposition of energy consumption variation for industry and services (2013-2035)

## Energy efficiency scenario

### De-materialization of the economy

|                                      |           |          |   |          |           |
|--------------------------------------|-----------|----------|---|----------|-----------|
|                                      | ↓↓        | ↓        | - | ↑        | ↑↑        |
| Share of industry in the GDP in 2030 | +2 points | +1 point | 0 | -1 point | -2 points |
| Share of services in the GDP in 2030 | -2 points | -1 point | 0 | +1 point | +2 points |



■ Reference ■ Energy efficiency

## Energy efficiency scenario

### with significant de-materialization of the economy

### De-materialization of the economy

|                                      |           |          |   |          |           |
|--------------------------------------|-----------|----------|---|----------|-----------|
|                                      | ↓↓        | ↓        | - | ↑        | ↑↑        |
| Share of industry in the GDP in 2030 | +2 points | +1 point | 0 | -1 point | -2 points |
| Share of services in the GDP in 2030 | -2 points | -1 point | 0 | +1 point | +2 points |



■ Reference ■ Energy efficiency

The de-materialization of the economy (-2 points of industry share in GDP, +2 points of services share in GDP) accelerates the energy consumption decrease in the services sector (by 23% in the **energy efficiency scenario**) and contributes to lower the consumption decrease in the industry sector (by 0.7 Mtoe in the **energy efficiency scenario**).

## Contact:

**Nicolas Mairet**

Head of Unit –  
Energy Efficiency and Demand

[Nicolas.mairet@enerdata.net](mailto:Nicolas.mairet@enerdata.net)

## About Enerdata:

Enerdata is an energy intelligence and consulting company established in 1991. Our experts will help you tackle key energy and climate issues and make sound strategic and business decisions. We provide research, solutions, consulting and training to key energy players worldwide.

[www.enerdata.net](http://www.enerdata.net)

